Index

to Authors, key words in titles and to new taxa and new stratigraphical terms in Volume 120; (R) indicates Review

Aegean World (R), 513
Aerial Photography, Ireland (R), 95
Africa, 390
African Cave Taphonomy (R), 92
Alas Formation, 579
Aldan River, 129
Ali, O. E. Microsolenid corals as rock-formers in the Corallian (Upper Jurassic) rocks of England, 375
Alkaline rocks, 303
Alton Road Quarry, 587
Amaliksen, K. G., Furnes, H., Austrheim, H. & Nordås, J. Evidence for an incipient early Caledonian (Cambrian) orogenic phase in southwestern Norway, 607
Arabian Gulf (R), 515
Aromatization, 417
Ashley, P. M., Franklin, B. J. & Ray, A. S. Plagiogranites in the Coolac ophiolite suite, New South Wales, Australia, 1
Ashworth, J. R. & Tyler, I. M. The distribution of metamorphic temperatures around the Strontian Granodiorite, 281
Assefa, G. & Saxena, G. N. New evidence on the age of the glacial rocks of northern Ethiopia, 549
Atlantic, 209
Atlas (R), 520
Australia, ignimbrite sheets, 487; New South Wales, 1; southeastern, 471
Austrheim, H., Furnes, H., Amaliksen, K. G. & Nordås, J. Evidence for an incipient early Caledonian (Cambrian) orogenic phase in southwestern Norway, 607
Aveley, Essex, 623
Backscattered electron microscopy, 109
Bakony Mountains (R), 99
Basaltic magma, 321
Basalts, 349
Beckinsale, R. D. & Gale, N. H. Comments on the paper 'Fission-track dating of British Ordovician and Silurian stratotypes' by R. J. Ross and others, 295
Bedded cherts, 363
Beese, A. P., Brück, P. M., Feehan, J. & Murphy, T. A silica deposit of possible Tertiary age in the Carboniferous Limestone near Birr, County Offaly, Ireland, 331
Bellsund, 153
Benthic Marine Palaeoecology (R), 95
Benue Trough, 529
Bhattacharjee, C. C., Duarah, R. & Saikia, M. M. Occurrence of the ophiolitic complexes along the Indoburman orogenic belt, 175
Bhattacharya, A. R. Record of the stromatolite *Plicatina* from India, 543
Biodeposition (R), 95
Biological, metal accumulation (R), 644; Perspectives (R), 644

Biomass Conversion Processes (R), 97
Biomineralization (R), 644
Biosaline Research (R), 96
Bioturbation (R), 95
Birds, 191
Birr, Ireland, 331
Bose, P. K. A reappraisal of the conditions of deposition of the Maentwrog Beds (Upper Cambrian) at Porth Ceiriad, North Wales, 73
Boucot, A. J., Brunton, C. H. C. & Theron, J. N. Implications for the age of South African Devonian rocks in which *Tropidoleptus* (Brachiopoda) has been found, 51
Brachiopoda, 51
Brasier, M. D. Stratigraphic distribution and classification of Foraminifera, 85
Breccias, 37
Brewer, M. S., Haslam, H. W., Darbyshire, D. P. F. & Davis, A. E. Irumide and post-Mozambiquian plutonism in Malawi, 21
Britain, 613
British Geology (R), 91
British Isles (R), 407; Variscan (R), 645
Brück, P. M., Beese, A. P., Feehan, J. & Murphy, T. A silica deposit of possible Tertiary age in the Carboniferous Limestone near Birr, County Offaly, Ireland, 331
Brunfelt, A. O., Furnes, H., Nystuen, J. P. & Solheim, S. Geochemistry of Upper Riphean–Vendian basalts associated with the 'sparagmites' of southern Norway, 349
Brunton, C. H. C., Boucot, A. J. & Theron, J. N. Implications for the age of South African Devonian rocks in which *Tropidoleptus* (Brachiopoda) has been found, 51
Bryant, I. D., Gibbard, P. L., Holyoak, D. T., Switsur, V. R. & Wintle, A. G. Stratigraphy and palaeontology of Pleistocene cold-stage deposits at Alton Road Quarry, Farnham, Surrey, England, 587
Bryant, I. D. & Worsley, P. Alleged thermal erosional structures near Farnham, England, 81
Caen-Vachette, M. & Umeji, A. C. Rb–Sr isochron from Gboko and Ikyuen rhyolites and its implications for the age and evolution of the Benue Trough, Nigeria, 529
Calderas, Carboniferous, 487
Caledonian, Scotland, 37; Cambrian, 607
Cambrian, North Wales, 73; U.S.S.R., 129; Caledonian, 607
Canada, 195
Carbonate diagenesis (R), 409
Carbonatite, 115
Carboniferous, Limestone, 331; calderas, 487; conodont faunas, 579
Cas, R. A. F. Submarine 'Crystal tuffs': their origin using a Lower Devonian example from southeastern Australia, 471
Cave Taphonomy (R), 92
Cenozoic Era (R), 313
Chemical correlation, 165
Cherts, 363
Città di Castello, Italy, 363
Collections, World Palaeontological (R), 517
Conglomerates, 153
Conodont faunas, 579
Continental Drift (R), 311
Coolac ophiolite suite, 1

Corallian, 375
Corals, 375
County Offaly, 331
Cowie, J. W. & Rozanov, A. Yu. Precambrian–Cambrian Boundary candidate, Aldan River, Yakutia, U.S.S.R., 129
Cretaceous, England, 267
Crystal tuffs, 471
Currabubula Formation, 487
Current Ripples (R), 643
Darbyshire, D. P. F., Haslam, H. W., Brewer, M. S. & Davis, A. E. Irumide and post-Mozambiquian plutonism in Malawi, 21
Davis, A. E., Haslam, H. W., Brewer, M. S. & Darbyshire, D. P. F. Irumide and post-Mozambiquian plutonism in Malawi, 21
De Beers Mine, 505
Deccan volcanic province, 303
De Feyter, A. J. & Molenaar, N. Early diagenetic bedded cherts of the Tuscan sequence (Miocene) near Città di Castello, Italy, 363
Detroit River Group (R), 315
Devonian, 51; Lower, 471; stromatoporoids, 315
Diagenesis, carbonate (R), 409; in sediments (R), 519
Diagenetic, 363
Dinosaurs, 191
Dolgarrog (R), 91
Double cone fracture, 291
Duarah, R., Saikia, M. M. & Bhattacharjee, C. C. Occurrence of the ophiolitic complexes along the Indoburman orogenic belt, 175
Durrance, E. M., Grainger, P. & Kearey, P. The South Harris gravity anomaly, 253
Dynamic models (R), 522
Earth, (R), 89; language of (R), 401; Inside the (R), 513
Earthquake origin, 613
Earthquakes, Persian (R), 410; evidence from (R), 513
Earth-Science Instruction (R), 522
Earth Sciences, Russian publications, 183
East Peripheral kimberlite, 505
Egypt, 59
El Khashab, H. M. & Youssef, M. M. Surface and subsurface structural study of the Wadi El Rayan area, southwest Fayoum, Egypt, 59
Energy (R), 97
England, Corallian, 375; erosional structure, 81; Jurassic-Cretaceous, 267; Pleistocene cold-stage deposits, 587
English, Language and usage (R), 100; translations, 183
Erosional structures, 81
Eruptions (R), 97
Ethiopia, 549
Europe, 209; (R), 314
Farnham, 81; Silky Loam, 603
Fayoum, Egypt, 59
Feehan, J., Beese, A. P., Brück, P. M. & Murphy, T. A silica deposit of possible Tertiary age in Carboniferous Limestone near Birr, County Offaly, Ireland, 331
Finite Difference Methods (R), 94

Finite Element Methods (R), 94
Fisher, P. & Rolls, J. D. Alleged thermal erosional structures near Farnham, England, 82
Fission-track dating, 295; 341
Fitch, F. J. & Miller, J. A. K–Ar age of the East Peripheral Kimberlite at De Beers Mine, Kimberley, R.S.A., 505
Flint, 291
Flora, 623
Fold Belt (R), 645
Foraminifera, 85
Fossil, (R), 402; sporomorphs (R), 99
Fossils, Collection and Preservation (R), 514; Field Guide (R), 515
Franklin, B. J., Ashley, P. M. & Ray, A. S. Plagiogranites in the Coolac ophiolite suite, New South Wales, Australia, 1
Fredriksen Island, 555
Fuels (R), 97
Furnes, H., Austrheim, H., Amaliksen, K. G. & Nordås, J. Evidence for an incipient early Caledonian (Cambrian) orogenic phase in southwestern Norway, 607
Furnes, H., Nystuen, J. P., Brunfelt, A. O. & Solheim, S. Geochemistry of Upper Riphean–Vendian basalts associated with the 'sparagmites' of southern Norway, 349
Future Perspectives (R), 517
Gale, N. H. & Beckinsale, R. D. Comments on the paper 'Fission-track dating of British Ordovician and Silurian stratotypes' by R. J. Ross and others, 295
Games Scientists Play (R), 408
Ganister, 187
Gboko rhyolites, 529
Geochemistry, 115; 349
Geochronology, Precambrian, 195; 381
Geological Evolution (R), 206; structures (R), 205; Research (R), 515; Bibliography (R), 515; Field Guide (R), 515; Perspectives (R), 644
Geology, 313; English Language and usage (R), 100; Regional (R), 411
Geophysical Interpretation (R), 93
Geotectonics, U.S.S.R., 305
Gibbard, P. L., Bryant, I. D., Holyoak, D. T., Switsur, V. R. & Wintle, A. G. Stratigraphy and palaeontology of Pleistocene cold-stage deposits at Alton Road Quarry, Farnham, Surrey, England, 587
Glacial, Record (R), 89; rocks, 549
Grainger, P., Durrance, E. M. & Keary, P. The South Harris gravity anomaly, 253
Grampian Highlands, 37
Granite pegmatites (R), 316
Granites, uranium (R), 315
Granodiorite, 281
Graptolites, 635
Gravity anomaly, 253
Groundwater modeling (R), 94
Hambrey, M. J. Correlation of Late Proterozoic tillites in the North Atlantic region and Europe, 209
Hambrey, M. J. & Harland, W. B. Late Precambrian and Early Palaeozoic tillites of the Taoudeni Basins, West Africa, 390
Harland, W. B. Geotectonics in the U.S.S.R., 305

Harland, W. B. & Hambrey, M. J. Late Precambrian and Early Palaeozoic tillites of the Taoudeni Basins, West Africa, 390
Harland, W. B. More Time Scales, 393
Harland, W. B. Precambrian geochronology in Canada, 195
Harris, N. B. W., Mohammed, A. E. R. O. & Shaddad, M. Z. Geochemistry and petrogenesis of a nepheline syenite–carbonatite complex from the Sudan, 115
Haslam, H. W., Brewer, M. S., Darbyshire, D. P. F. & Davis, A. E. Irumide and post-Mozambiquian plutonism in Malawi, 21
Highlands, Scotland, 165
Himalaya, 341
Holland, J. G., Winchester, J. A. & Lambert, R. St J. Chemical correlation of Moinian rocks in the northern Highlands of Scotland, 165
Holyoak, D. T. A Late Pleistocene interglacial flora and molluscan fauna from Thatcham, Berkshire, with notes on Mollusca from the interglacial deposits at Aveley, Essex, 623
Holyoak, D. T., Bryant, I. D., Gibbard, P. L., Switsur, V. R. & Wintle, A. G. Stratigraphy and palaeontology of Pleistocene cold-stage deposits at Alton Road Quarry, Farnham, Surrey, England, 587
Howe, M. P. A. Measurement of thecal spacing in graptolites, 635
Hubbard, F. H. The Phanerozoic cover sequences preserved as Xenoliths in the kimberlite of eastern Sierra Leone, 67
Hunt, C. O. & Wimbledon, W. A. The Portland–Purbeck junction (Portlandian–Berriasian) in the Weald, and correlation of latest Jurassic–early Cretaceous rocks in southern England, 267
Hutton, 631
Hydrocarbons, 417
Hydrogéologie (R), 94
Igneous, Atlas of (R), 520; petrology (R), 403, 404; rocks, 321; rocks (R), 407
Ignimbrite sheets, 487
Ikyuen rhyolites, 529
India, 543
Indian Ocean (R), 521
Indoburman orogenic belt, 175
Interglacial deposits, 623
Inverse Problem (R), 93
Ireland, aerial photography (R), 95; carboniferous limestone, 331; Mineral Exploration (R), 95; Ordovician, 141
Irumide plutonism, 21
Isochron, 529
Isomerization, 417
Italy, 363
Jurassic, England, 267; 375
K–Ar age, 505
Kearey, P., Durrance, E. M. & Grainger, P. The South Harris gravity anomaly, 253
Kearsley, A. T., Krinsley, D. H. & Pye, K. Application of backscattered electron microscopy in shale petrology, 109
Keller, B. M. & Krasnobaev, A. A. Late Precambrian geochronology of the European U.S.S.R., 381
Kelly, T., Ryan, P. D. & Max, M. D. The petrochemistry of the basic volcanic rocks of the South Connemara Group (Ordovician), western Ireland, 141

Kimberley, 505
Kimberlite, 67; East Peripheral, 505
Krasnobaev, A. A. & Keller, B. M. Late Precambrian geochronology of the European U.S.S.R., 381
Krinsley, D. H., Pye, K. & Kearsley, A. T. Application of backscattered electron microscopy in shale petrology, 109
Kuwait Bay (R), 408
Kyanite, 341
Lagoonal sequence, 613
Lambert, R. St J., Winchester, J. A. & Holland, J. G. Chemical correlation of Moinian rocks in the northern Highlands of Scotland, 165
Lan Fawr Member, 537
Language, earth (R), 401
Lewisian, 639
Limestones, 639; microfacies analysis (R), 404
Lucido, G. A mechanism forming silicic segregations from basaltic magma discovered in igneous rocks of Western Sicily, 321
Ludvigsen, R. & Tuffnell, P. A. A revision of the Ordivician olenid trilobite *Triarthrus* Green, 567
Lynas, B. D. T. Two new Ordivician volcanic centres in the Shelve inlier, Powys, Wales, 535
Mackenzie, A. S. & McKenzie, D. Isomerization and aromatization of hydrocarbons in sedimentary basins formed by extension, 417
Maentwrog Beds, 73
Malawi, 21
Mammals, 191
Marginal breccias, 37
Marine Palaeoecology (R), 95
Max, M. D., Ryan, P. D. & Kelly, T. The petrochemistry of the basic volcanic rocks of the South Connemara Group (Ordovician), western Ireland, 141
Mayall, M. J. An earthquake origin for synsedimentary deformation in a late Triassic (Rhaetian) lagoonal sequence, southwest Britain, 613
McKenzie, D. & Mackenzie, A. S. Isomerization and aromatization of hydrocarbons in sedimentary basins formed by extension, 417
McPhie, J. Outflow ignimbrite sheets from Late Carboniferous calderas, Currabubula Formation, New South Wales, Australia, 487
Megalodontaceae (R), 646
Mélange, 555
Meneilly, A. W. & Storey, B. C. Mélange within subduction–accretion complex rocks of Fredriksen Island, South Orkney Islands, 555
Metal Accumulation (R), 644
Metamorphic, limestones, 639; petrology (R), 403; temperatures, 281
Metcalfe, I. Conodont faunas, age and correlation of the Alas Formation (Carboniferous), Sumatra, 579
Michigan Basin (R), 315
Microfacies Analysis (R), 404
Microsolenid, 375
Mid-Cretaceous (R), 411
Miles, P. J. S. Obtaining English translations of Russian publications in the Earth Sciences – an English view, 183

Miller, J. A. & Fitch, F. J. K–Ar age of the East Peripheral Kimberlite at De Beers Mine, Kimberley, R.S.A., 505
Mineral, Deposits (R), 314; Exploration, Ireland (R), 95
Minerals, Collection and Preservation (R), 514
Minor intrusion, 37
Miocene, 363
Modeling, groundwater (R), 94
Mohammed, A. E. R. O., Harris, N. B. W. & Shaddad, M. Z. Geochemistry and petrogenesis of a nepheline syenite–carbonatite complex from the Sudan, 115
Moine, 639
Moinian, Scotland, 165
Molenaar, N. & De Feyter, A. J. Early diagenetic bedded cherts of the Tuscan sequence (Miocene) near Città di Castello, Italy, 363
Mollusca, 623
Molluscan fauna, 623
Mount St Helens (R), 97
Mozambiquian, 21
Murphy, T., Beese, A. P., Brück, P. M. & Feehan, J. A silica deposit of possible Tertiary age in the Carboniferous Limestone near Birr, County Offaly, Ireland, 331
Nannofossils, calcareous (R), 312
Natural History (R), 205
Nepheline syenite–carbonatite complex, 115
New South Wales, 1; 487
New York City (R), 205
Nigeria, 529
Nordås, J., Furnes, H., Austrheim, H. & Amaliksen, K. G. Evidence for an incipient early Caledonian (Cambrian) orogenic phase in southwestern Norway, 607
Norway, 349; 607
Nutrients (R), 95
Nystuen, J. P., Furnes, H., Burnfelt, A. O. & Solheim, S. Geochemistry of Upper Riphean–Vendian basalts associated with the 'sparagmites' of Southern Norway, 349
Ocean, Basins (R), 521; margins (R), 521
Olenid trilobite, 567
Ophiolite, 1
Ophiolitic complexes, 175
Ordovician, 295; Ireland, 141; trilobite, 567; volcanic centres, 535
Ore Genesis (R), 101
Orogenic, belt, 175; phase, 607
Oscar II Land, 233
Palaeobiology (R), 523
Palaeoecology (R), 95
Palaeontological Collections (R), 517
Palaeontology, 587; General (R), 523
Palaeozoic Tillites, 390
Paleoecology (R), 402
Paleogene fossil sporomorphs (R), 99
Partial melting, 37
Peak District (R), 515
Pegmatites, granite (R), 316

Percival, C. J. A definition of the term ganister, 187
Persian earthquakes (R), 410
Petrochemistry, 141
Petrogenesis, 115
Petrology, (R), 403; igneous (R), 404; metamorphic (R), 403; sedimentary (R), 516
Phanerozoic, 67
Plagiogranites, 1
Plate Tectonics (R), 311
Platten, I. M. Partial melting of semipelite and the development of marginal breccias around a late Caledonian minor intrusion in the Grampian Highlands of Scotland, 37
Pleistocene, cold-stage deposits, 587; interglacial, 623; Pre- (R), 89
Plicatina misrai form sp. nov., 543
Plutonism, 21
Porth Ceiriad, 73
Portland, 267
Post-Mozambiquian, 21
Precambrian, 153; geochronology, 195; 381; Spitsbergen, 233; Tillites; 390; Southern Hemisphere (R), 401
Precambrian–Cambrian Boundary, 129
Pre-Pleistocene (R), 89
Primary Energy (R), 517
Proterozoic, 209
Purbeck, 267
Pye, K., Krinsley, D. H. & Kearsley, A. T. Application of backscattered electron microscopy in shale petrology, 109
Quaternary (R), 313
Rajagopalan, G., Saini, H. S. & Srivastava, A. P. Fission track dating and uranium concentration in kyanite from the Himalaya, 341
Rajasthan, 303
Ray, A. S., Ashley, P. M. & Franklin, B. J. Plagiogranites in the Coolac ophiolite suite, New South Wales, Australia, 1
Rb–Sr, 529
Regional geology (R), 411
Reid, R. E. H. High vascularity in bones of dinosaurs, mammals and birds, 191
Republic of South Africa, 505
Resources, Water (R), 96
Rhaetian, 613
Rhyolites, 529
Riphaen basalts, 349
Risk/Benefit Analysis (R), 96
River Nile (R), 206
Rock-formers, 375
Rock, N. M. S. A note on the distribution and significance of metamorphic limestones in the Moine and Lewisian of the Scottish Highlands and Islands, 639
Rocks, Igneous (R), 407; Collection and Preservation (R), 514; Field Guide (R), 515
Rolls, J. D. & Fisher, P. Alleged thermal erosional structures near Farnham, England, 82
Rosanov, A. Yu & Cowie, J. W. Precambrian–Cambrian Boundary candidate, Aldan River, Yakutia, U.S.S.R., 129
Russian publications, 183

Ryan, P. D., Max, M. D. & Kelly, T. The petrochemistry of the basic volcanic rocks of the South Connemara Group (Ordovician), western Ireland, 141
Saikia, M. M., Duarah, R. & Bhattacharjee, C. C. Occurrence of the ophiolitic complexes along the Indoburman orogenic belt, 175
Saini, H. S., Srivastava, A. P. & Rajagopalan, G. Fission track dating and uranium concentration in kyanite from the Himalaya, 341
Saxena, G. N. & Assefa, G. New evidence on the age of the glacial rocks of northern Ethiopia, 549
Science at Sea (R), 97
Scotland, 37; moinian, 165
Scottish Highlands and Islands, 639
Sea-level (R), 408
Sedimentary, basins, 417; petrology (R), 516; rocks (R), 519
Sedimentology (R), 514
Sediments (R), 519
Seismology (R), 513
Semipelite, 37
Shaddad, M. Z., Harris, N. B. W. & Mohammed, A. E. R. O. Geochemistry and petrogenesis of a nepheline syenite–carbonatite complex from the Sudan, 115
Shale petrology, 109
Shelve inlier, 535
Sicily, 321
Sierra Leone, 67
Silica deposit, 331
Silicic segregations, 321
Silurian, 295
Sinai (R), 515
Small-scale Geological Structures (R), 205
Solheim, S., Furnes, H., Nystuen, J. P. & Brunfelt, A. O. Geochemistry of Upper Riphean–Vendian basalts associated with the 'sparagmites' of southern Norway, 349
South African, 51
South Connemara Group, 141
Southern Hemisphere (R), 401
South Harris, 253
South Orkney Islands, 555
Sparagmites, 349
Spitsbergen, Precambrian, 153; 233
Sporomorphs (R), 99
Srivastava, A. P., Saini, H. S. & Rajagopalan, G. Fission track dating and uranium concentration in kyanite from the Himalaya, 341
Srivastava, R. K. Temporal status of alkaline rocks of Deccan volcanic province and S. W. Rajasthan, 303
Storey, B. C. & Meneilly, A. W. Mélange within subduction-accretion complex rocks of Fredriksen Island, South Orkney Islands, 555
Stratification, cyclic & event (R), 311
Stratigraphic Traps (R), 409
Stratigraphical Index (R), 312
Stratigraphy, 587
Stromatolite, 543

Stromatoporoids (R), 315
Strontian Granodiorite, 281
Subduction-accretion complex, 555
Submarine 'crystal tuffs', 471
Sudan, 115
Sumatra, 579
Switsur, V. R., Bryant, I. D., Gibbard, P. L., Holyoak, D. T. & Wintle, A. G. Stratigraphy and palaeontology of Pleistocene cold-stage deposits at Alton Road Quarry, Farnham, Surrey, England, 587
Syenite, 115
Synsedimentary deformation, 613
System of the Earth, 631
Systems approach (R), 643
Taoudeni Basins, 390
Taphonomy, African cave (R), 92; Introduction to (R), 402
Temperatures, 281
Tertiary, 331; (R), 313
Textures (R), 520
Thatcham, Berkshire, 623
Thecal spacing, 635
Thera (R), 513
Thermal erosional structures, 81
Theron, J. N., Boucot, A. J. & Brunton, C. H. C. Implications for the age of South African Devonian rocks in which *Tropidoleptus* (Brachiopoda) has been found, 51
Tillites, Precambrian and Palaeozoic, 390; Proterozoic, 209
Time scales, 393
Tinkler, K. J. On Hutton's authorship of an 'Abstract of a Dissertation...concerning the System of the Earth, its Duration and Stability', 631
Todleth Member, 537
Triarthrus, 567
Triassic, 613
Triassiche (R), 646
Trilobite, 567
Tropidoleptus, 51
Tuffnell, P. A. & Ludvigsen, R. A revision of the Ordovician olenid trolobite *Triarthrus* Green, 567
Tuscan, 363
Tyler, I. M. & Ashworth, J. R. The distribution of metamorphic temperatures around the Strontian Granodiorite, 281
Umeji, A. C. & Caen-Vachette, M. Rb–Sr isochron from Gboko and Ikyuen rhyolites and its implications for the age and evolution of the Benue Trough, Nigeria, 529
Uranium, concentration, 341; (R), 315
U.S.S.R., 129; geotectonics, 305; Precambrian geochronology, 381
Variscan Fold Belt (R), 645
Vascularity, 191
Vendian basalts, 349
Volcanic, centres, 535; rocks, 141
Waddams, P. Late Precambrian resedimented conglomerates from Bellsund, Spitsbergen, 153

Waddams, P. The Late Precambrian succession in north-west Oscar II Land, Spitsbergen, 233
Wadi El Rayan area, Egypt, 59
Wales, 73; 535
Water, Resources (R), 96; Management (R), 643
Wave Ripples (R), 643
Weald, 267
Williams, D. J. The double cone fracture in flint, 291
Wimbledon, W. A. & Hunt, C. O. The Portland–Purbeck junction (Portlandian–Berriasian) in the Weald, and correlation of latest Jurassic–early Cretaceous rocks in southern England, 267
Winchester, J. A., Lambert, R. St J. & Holland, J. G. Chemical correlation of Moinian rocks in the northern Highlands of Scotland, 165
Wintle, A. G., Bryant, I. D., Gibbard, P. L., Holyoak, D. T. & Switsur, V. R. Stratigraphy and palaeontology of Pleistocene cold-stage deposits at Alton Road Quarry, Farnham, Surrey, England, 587
World Palaeontological Collections (R), 517
Worsley, P. & Bryant, I. D. Alleged thermal erosional structures near Farnham, England, 81
Wrecclesham Gravel, 602
Xenoliths, 67
Yakutia, 129
Youssef, M. M. & El Khashab, H. M. Surface and subsurface structural study of the Wadi El Rayan area, Southwest Fayoum, Egypt, 59